

EU Type Examination Certificate

This is to certify that:

Centurion Safety Products Limited
Howlett Way
Fison Way Industrial Park
Thetford
IP24 1HZ
United Kingdom

Holds Certificate Number:

CE 677025

In respect of:

**Model: S16 and S22PLUS Nexus Industrial Safety Helmets
To EN 397:2012+A1:2012, EN 50365:2002 and Centurion Safety Products Technical Specification CSP
V10**

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II



Denelise L'Ecluse, Managing Director Assurance - Continental Europe

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

First Issued: 2017-06-29

Effective Date: 2024-09-25

Latest Issue: 2024-09-25

Expiry Date: 2028-04-21

Page: 1 of 7



This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

EU Type Examination Certificate

No. CE 677025

Product Specification

Range: S16 Nexus Core Nexus SecurePlus and Nexus Exceed Mips

Product Description: Safety Helmet with micro peak, 6 point 20mm wide fabric cradle assembly and available in either slip or wheel Ratchet and vented and non-vented ABS shell.

The Nexus Core and SecurePlus is fitted with a Dry-Tech (Polyester) sweatband, and the Nexus Exceed Mips is fitted with a Mips Active Comfort sweatband, wheel Ratchet and a Mips low friction layer insert as an added rotational injury solution which is fitted over the cradle. The Mips insert is made of Polyketone polymer Blend material

The Nexus Core may optionally be fitted with a 2 point or 4 point adjustable chinstrap. The Nexus SecurePlus and Exceed Mips is fitted with a 4 point adjustable chinstrap.

Shell: ABS, vented and non-vented versions

Cradle: Fabric webbing system

Headband: LDPE (Low Density Polyethylene)

Sweatband: Dry-Tech (Polyester) or Active Comfort sweatband

Adjustment system: Slip Ratchet or Wheel Ratchet

Chinstrap anchorages: 2 Point Fixing option (Core) or 4 Point Fixing (option for Core and standard for SecurePlus and Exceed Mips)

Size: Slip Ratchet headband: 51-63 cm and Wheel Ratchet headband: 52-64 cm

Models in Range:

Nexus Core: vented or non vented, dry-tech sweatband, slip or wheel Ratchet, EN 397:2012+A1:2012, LD, -30°C, EN 50365:2002 Class 0, CSP V10 -40°C

Nexus SecurePlus: vented or non vented, dry-tech sweatband, slip or wheel Ratchet, 4 point chinstrap, EN 397:2012+A1:2012, LD, -30°C, EN 50365:2002 Class 0, CSP V10 -40°C

Nexus Exceed Mips: vented or non vented, Comfort sweatband with elastic cord, wheel Ratchet, 4 point chinstrap, EN 397:2012+A1:2012, LD, -30°C, EN 50365:2002 Class 0, CSP V10 -40°C

Notes:

All variants can have brand information presented on a pad print

First Issued: 2017-06-29

Effective Date: 2024-09-25

Latest Issue: 2024-09-25

Expiry Date: 2028-04-21

Page: 2 of 7

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 677025

Product Specification (continued)

Spares and Accessories:

Item
SecurePlus 4 point adjustable EN 397:2012+A1:2012 Chinstrap
Dry-Tech Sweatband
Fabric Cradle with Premium 'Twist2Fit' Ratchet and Dry-Tech Sweatband
Fabric Cradle with Slip Ratchet and Dry-Tech Sweatband
Retractable eyeshield Clear 2C-1,2 1F UV filter
Retractable eyeshield Smoke Grey 5-3,1 1F Sunglare filter
S601 Replacement Over Spectacles Clear 2C-1.2 1 AT KN
S602 Replacement Over Spectacles Smoke 5-3.1 1 AT KN
Euro accessory clip
Classic Face Screen Carrier
Contour Face Screen Carrier
Contour X General Purpose Clear Polycarbonate screen 2C-1,2 1BT 3 8 9
High Intensity Reflective Stickers
Vizlite DT PSA helmet stickers

First Issued: 2017-06-29

Latest Issue: 2024-09-25

Effective Date: 2024-09-25

Expiry Date: 2028-04-21

Page: 3 of 7

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 677025

Product Specification (continued)

Technical Specifications:	EN 397:2012+A1:2012 industrial safety helmets
Classifications	Performance
-30°C	Very low temperature (incorporated within CSP V10 - 40°C option)
440 V a.c.	Electrical properties (incorporated within CSP V10 1000V a.c. option)
LD	Lateral deformation
MM	Molten metal
EN 50365:2002	Electrically insulating helmets for use on low voltage installations
Classifications	Performance
0	Nominal voltage of up to 1000 V a.c. and 1500 V d.c.
Centurion Safety Products Technical Specification CSP V10	
Classifications:	Performance:
- 40°C	Very low temperature
1000 V a.c.	Electrical properties
EN 166:2001	Personal eye-protection - Specifications
Classifications	Performance
F	Low energy impact
BT	Medium energy impact at extremes of temperature
AT	High energy impact at extremes of temperature
2C-1,2	UV Filter with enhanced colour recognition
5-3,1	Sunglare filter
3	Liquids (droplets or splashes)
8	Short circuit electric arc
9	Molten metals and hot solids
K	Resistance to surface damage by fine particles
N	Resistance to fogging of oculars

First Issued: 2017-06-29

Effective Date: 2024-09-25

Latest Issue: 2024-09-25

Expiry Date: 2028-04-21

Page: 4 of 7

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 677025

Product Specification (continued)

Additional Classifications:	IEC 60079-32-2:2015 Electrostatics hazards — Tests	Hazardous area (Zone as per Directive 999/92/EC)	Group (as per DIN EN 60079-0)
	Helmet and accessories	Zone 0	IIA and IIB
	Nexus Core and SecurePlus in combination with S589 eye shield clear and/or S589SE eye shield smoke grey and/or S30*NHIRS high intensity reflective sticker	Zone 1 & 2	IIA, IIB and IIC
		Zone 20, 21 & 22	IIIA, IIIB and IIIC
	Nexus Core and SecurePlus in combination with S55 visor carrier and S810 polycarbonate clear screen	Zone 1 & 2	IIA
		Zone 20, 21 & 22	IIIA, IIIB and IIIC

First Issued: 2017-06-29

Latest Issue: 2024-09-25

Effective Date: 2024-09-25

Expiry Date: 2028-04-21

Page: 5 of 7

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 677025

Product Specification (continued)

Range: S22 Nexus High Heat

Product Description: Nexus High Heat is made of GF Nylon and LDPE masterbatch. The model comes in non-vented variants, is fitted with a 6 point 20mm wide fabric cradle assembly with slip ratchet or wheel ratchet LDPE headband adjustment and a Vabon sweatband. Nexus High Heat may optionally be fitted with a 2 point or 4 point adjustable chin strap.
Shell: GF Nylon and LDPE masterbatch
Cradle: Fabric webbing system
Headband: LDPE with sweatband
Sweatband: Vabon
Adjustment system: Slip ratchet or Wheel Ratchet
Chinstrap anchorages: 2 Point Fixing or 4 Point Fixing

Size range: Slip Ratchet headband: 51-63 cm
Wheel Ratchet headband: 52-64 cm

Product Specification (continued)

Technical Specifications: EN 397:2012+A1:2012 industrial safety helmets
Classifications Performance
+150°C Very high temperature
440 V a.c. Electrical properties
LD Lateral deformation
MM Molten metal

EN 166:2001 Personal eye-protection - Specifications
Classifications Performance
F Low energy impact
BT Medium energy impact at extremes of temperature
2C-1,2 UV Filter with enhanced colour recognition
5-3,1 Sunglare filter
3 Liquids (droplets or splashes)
8 Short circuit electric arc
9 Molten metals and hot solids

First Issued: 2017-06-29

Effective Date: 2024-09-25

Latest Issue: 2024-09-25

Expiry Date: 2028-04-21

Page: 6 of 7

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 677025

Certificate Administration Details

Technical File Reference: 'TF Nexus Core/SecurePlus & High Heat, Rev 04'

Certificate Administration Record and BSI internal Technical File Review reference

Issue date	Comments	BSI Project Ref.
June 2017	First issue under PPE Regulation (EU) 425/2016, product initially approved to Article 10 of the PPE Directive 89/686/EEC under BSI issued certificate CE 653636.	0086:17:8765390
February 2021	Addition of new High Heat variant and change of name from Linesman model to SecurePlus	2797:21:3045789
September 2021	Addition of new Nexus Exceed Mips	2797:21:3509039
April 2023	5-year certificate renewal under PPE Regulation (EU) 2016/425.	2797:23:3748881
September 2024	Addition of S601 and S602 accessory eyewear.	2797:24:30223847

Note: The Certificate holder is responsible for keeping the Notified Body advised of changes to any aspect of the overall process used in the manufacture of the product

Monitoring of manufactured PPE

The EC Quality of Production by Monitoring requirements, Module D, for the product are referenced in BSI issued Certificate Number CE 01544

First Issued: 2017-06-29

Effective Date: 2024-09-25

Latest Issue: 2024-09-25

Expiry Date: 2028-04-21

Page: 7 of 7

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.