

# Certificate of Conformity

This is to certify that:

Centurion Safety Products Limited  
Howlett Way  
Fison Way Industrial Park  
Thetford  
IP24 1HZ  
United Kingdom

Holds Certificate Number:

CNF 684765

In respect of:

**ANSI Z89.1:2014, ANSI Z87.1:2015, AS/NZ 1337.1:2010+A2:2018 and CSA Z94.1-2015  
Industrial Safety Helmets**



For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 1 of 29

# Certificate of Conformity

No. CNF 684765

## Product Specification

**Range:** Nexus Core/Secure Plus

## Product Description:

This helmet shell is made of ABS and the model comes in vented and non-vented variants. Nexus Core/Secure Plus is fitted with a 6 point 20mm wide fabric cradle which is available with slip ratchet or wheel ratchet LDPE headband adjustment and a Dry-Tech (Polyester) sweatband. Nexus Core may optionally be fitted with a 2 point or 4 point adjustable chin strap.

Shell:	ABS, vented and non vented versions
Suspension:	
Cradle:	Fabric webbing system
Headband:	LDPE with fitted sweatband
Sweatband:	Dry-Tech (Polyester)
Adjustment system:	Wheel ratchet or slip ratchet
Chinstrap:	EN 397 2 point chinstrap or 4 point chinstrap
Size:	51-63 cm

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 2 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** Nexus Core/Secure Plus, non-vented

**Classification:** ANSI Z89.1:2014

Type I Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.

Class E Class E helmets are intended to reduce the danger of contact with higher voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.

LT Lower temperature (-30°C)

**Test Report:** BSI 253/8524498 Issue 3, Intertek 102678220CRT-001

## Models in Range:

Product code	Description
S16E*R	Nexus Core, wheel ratchet
S16E*A	Nexus Core, slip ratchet
S16E*RL	Nexus Secure Plus, wheel ratchet, EN 397 4 point chinstrap
S16E*L	Nexus Secure Plus, slip ratchet, EN 397 4 point chinstrap

## Notes:

\* denotes the helmet shell colour  
All variants can have brand information presented on a padprint (P) or label (L)  
Secure Plus formerly known as Linesman

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 3 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** Nexus Core/Secure Plus, vented

**Classification:** ANSI Z89.1:2014

Type I	Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.
Class C	Class C helmets are not intended to provide protection against contact with electrical hazards.
LT	Lower temperature (-30°C)

**Test Report:** BSI 253/8535351 Issue 3

## Models in Range:

Product code	Description
S16E*RF	Nexus Core, wheel ratchet
S16E*F	Nexus Core, slip ratchet
S16E*LF	Nexus Secure Plus, slip ratchet, EN 397 4 point chinstrap

## Notes:

\* denotes the helmet shell colour  
All variants can have brand information presented on a padprint (P) or label (L)  
Secure Plus formerly known as Linesman

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 4 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** Nexus Core/Secure Plus, vented

**Classification:** CSA Z94.1-2015

Type I Headwear that provides impact and penetration protection for the crown only.

Class C Headwear that does not provide dielectric protection

**Test Report:** Colts Z-CTR111816-01

Product code	Description/Classification
S16E*RLF	Nexus core/Secure Plus, wheel ratchet, EN 397 4 point chinstrap Vented.
S16E*RLFN	Nexus core/Secure Plus, wheel ratchet, EN 397 4 point chinstrap and S30NHIRS reflective stickers, Vented.

**Notes:** All variants can have brand information presented on a padprint (P) or label (L)

Product code	Description
S30LY	4 point quick release EN 397 Black Chinstrap (Unbranded)
S33/35	Fabric Cradle with wheel ratchet and Dry-Tech Sweatband
S55	Nexus Visor Frame
S800	Nexus General Purpose Visor Z87+ D3
S810	Nexus Multi-Purpose Visor Z87+ D3
S589	Nexus Clear Spectacles Z87+ U6
S589SE	Nexus Smoke Spectacles Z87+ U6 L1.3
S601	S601 Replacement Over Spectacles Clear
S602	S602 Replacement Over Spectacles Smoke

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 5 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Certificate of Conformity

No. CNF 684765

## Product Specification

**Range:** Nexus High Heat

**Product Description:** Nexus High Heat is made of GF Nylon and LDPE masterbatch. The model comes in non-vented variants, is fitted with a 6 point Terylene webbing cradle with wheel ratchet LDPE headband adjustment and a Vabon sweatband. Nexus High Heat may optionally be fitted with a 2 point or 4 point adjustable chin strap

Shell:	GF Nylon and LDPE masterbatch
Suspension:	
Cradle:	Fabric webbing system
Headband:	LDPE with fitted sweatband
Sweatband:	Vabon
Adjustment system:	Wheel ratchet
Chinstrap:	2 Point Fixing or 4 Point Fixing
Size:	52-64 cm

**Model:** Nexus High Heat, non-vented

**Classification:** ANSI Z89.1:2014

Type I	Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.
Class G	Class G helmets are intended to reduce the danger of contact with low voltage conductors. Test samples are proof-tested at 2,200 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.

**Test Report:** BSI 3276218, Intertek 104445692CRT-001

**Models in Range:**

Product code	Description
S22PLUS*R	Nexus High Heat, non-vented, wheel ratchet

**Notes:**

- \* denotes the helmet shell colour
- All variants can have brand information presented on a padprint (P) or label (L)
- Secure Plus formerly known as Linesman

First Issued: 2018-02-05  
Latest Issue: 2025-01-20

Effective Date: 2025-01-20  
Expiry Date: 2028-07-16

Page: 6 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

Spares and Accessories:	Product code	Description
	S30E	Elasticated 2 point chin strap
	S30L	Leather Chinstrap
	S30LY	4 point quick release EN 397 Secure Plus Black Chinstrap (Branded)
	S30NLNY	S30NY replaceable 4 point adjustable EN 12492 Blue Chinstrap and S30NL Liner to convert Nexus Core to Heightmaster (vented shell only)
	S31D	Dry-Tech sweatband
	S31N	Brushed Nylon Sweatband
	S31P	PVC Sweatband
	S31vK	Vabon sweatband standard
	S33/12	Fabric Cradle with Ratchet and Vabon sweatband Std
	S33/34	Fabric Cradle with Dry-Tech Sweatband
	S33/35	Fabric Cradle with wheel ratchet and Dry-Tech Sweatband
	S50UFL	Universal Fleece Liner
	S50HVOFC	Frost Cape HV Orange
	S50HVYFC	Frost Cape HV Yellow
	S50HVOEDFC	Frost Cape HV Orange with Ear Defender Compatibility
	S589	Retractable eyeshield Clear, Z87 U6
	S589SE	Retractable eyeshield Smoke Grey, Z87 U6 L1.3
	S55	Contour Visor Carrier
	S800	Contour X General Purpose Facescreen 2C-1,2 1BT 3 9
	S810	Contour XI Multi-Purpose Facescreen 2C-1,2 1BT 3 8-1-0 9
	S30*NHIRS	High Intensity Reflective Stickers (* denotes colour)
	S601	Replacement Over Spectacles Clear
	S602	Replacement Over Spectacles Smoke

## Notes:

\* denotes the helmet shell colour

All variants can have brand information presented on a padprint (P) or label (L)

Secure Plus formerly known as Linesman

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 7 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range:** Nexus Heightmaster

**Product Description:** This helmet shell is made of ABS and the model is vented. Nexus Heightmaster is fitted with a 6 point fabric cradle which is available with wheel ratchet LDPE headband adjustment and a Dry-Tech (Polyester) sweatband. Includes a liner for impact and penetration protection

Shell:	Micro peaked, ABS vented shell
Liner:	EPS (Expanded Polystyrene)
Suspension:	
Cradle:	Fabric Cradle
Headband:	LDPE with fitted sweatband
Sweatband:	Dry-Tech (Polyester)
Chinstrap:	EN 12492 4 point chinstrap fitted
Size:	53-63 cm

**Classification:** ANSI Z89.1:2014

Type I	Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.
Class C	Class C helmets are not intended to provide protection against contact with electrical hazards.
LT	Lower temperature (-30°C)

**Test Report:** BSI 253/8535017 Issue 3

**Models in Range:**

Product code	Description
S16E*FMR	Nexus Heightmaster, vented

**Notes:** \* denotes the helmet shell colour  
All variants can have brand information presented on a padprint (P) or label (L)

First Issued: 2018-02-05  
Latest Issue: 2025-01-20

Effective Date: 2025-01-20  
Expiry Date: 2028-07-16

Page: 8 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

Spares and Accessories:	Part Number	Item
	S30NY	Heightmaster 4 point adjustable EN 12492 Blue chinstrap
	S30NL	Heightmaster EN 12492 Liner
	S30NLNY	4 point adjustable EN 12492 Blue chinstrap & S30NL Heightmaster Liner
	S31D	Dry-Tech sweatband
	S33/34	Fabric Cradle with Dry-Tech Sweatband
	S33/35	Fabric Cradle with wheel ratchet and Dry-Tech Sweatband
	S589	Retractable eyeshield Clear, Z87 U6
	S589SE	Retractable eyeshield Smoke Grey, Z87 U6 L1.3
	S565	Euro accessory clip
	S55	Contour Visor Carrier
	S810	Contour XI, anti-fog, clear polycarbonate face screen, Z87+ D3
	S30*NHIRS	High Intensity Reflective Stickers (* denotes colour)
	S601	Replacement Over Spectacles Clear
	S602	Replacement Over Spectacles Smoke

## Notes:

\* denotes the helmet shell colour

All variants can have brand information presented on a padprint (P) or label (L)

Secure Plus formerly known as Linesman

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 9 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** Nexus Heightmaster Elec

**Range:** S16 Nexus Heightmaster Elec (Non vented)

**Product Description:** The S16 Nexus Heightmaster Elec, non vented with micro peak is fitted with a 6 point fabric Cradle which is available with wheel ratchet LDPE headband adjustment and a Dry-Tech (Polyester) sweatband. Includes a liner for impact and penetration protection, and a replacement 4-point adjustable chinstrap. S16E\*MR is fitted with a 4 point adjustable chin strap.

Shell:	Micro Peaked, ABS non vented shell
Liner:	EPS Expanded Polystyrene
Cradle:	Fabric Cradle
Headband:	LDPE (Low Density Polyethylene)
Sweatband:	Dry-Tech (Polyester) or Active Comfort sweatband
Chinstrap:	Polyester and Acetal Clips
Size:	53-63 cm

## Classification

ANSI Z89.1:2014

Type I

Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.

Class E

Class E helmets are intended to reduce the danger of contact with higher voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.

LT

Lower temperature (−30°C)

## Test Report:

BSI 253/8524498 issue 3

## Models in Range:

Product code	Description
S16E*A	Nexus Heightmaster Elec (Non vented)

## Notes:

All variants can have brand information presented on a padprint (P) or label (L)  
\* denotes the helmet shell colour

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 10 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

Spares and Accessories:	Item
	Heightmaster 4 point adjustable EN 12492 Grey Harness
	Heightmaster EN 12492 Liner
	S30NY replaceable 4 point adjustable EN 12492 Blue Harness and S30NL Liner to convert Nexus Core to Heightmaster (vented shell only)
	Dry-Tech sweatband
	Fabric Cradle with Dry-Tech sweatband
	Fabric Cradle with Premium "Twist2Fit" Ratchet and Dry-Tech sweatband
	Retractable eyeshield Clear 2C-1,2 1F UV filter
	Retractable eyeshield Smoke Grey 5-3,1 1F Sunglare filter
	Euro accessory clip
	Visor Carrier
	Contour Visor Carrier
	Contour X General Purpose Facescreen
	Contour XI Multi-Purpose Facescreen 2C-1,2 1BT 3 8 9
	High Intensity Reflective Stickers
	S601 Replacement Over Spectacles Clear
	S602 Replacement Over Spectacles Smoke

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 11 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range:** **Concept**

**Product Description:**

Safety Helmet with two peak styles, the S09 with a 'standard' peak and the S08 with a 'reduced' peak. For versions complying with ANSI Z89.1:2014, there are a number of variations in the build standard of the product, see details below. The range can be fitted with a number of different accessories that are attached via either the Connect or the Euro accessory clips

Shell: ABS, vented and non vented versions

Suspension:

Cradle: Fabric webbing system

Headband: LDPE with fitted sweatband

Sweatband: Dry-Tech (Polyester)

Adjustment system: Wheel ratchet or slip ratchet

Chinstrap: EN 397 2 point chinstrap or 4 point chinstrap

**Size range:**

Wheel Ratchet headband: 52-64 cm

Slip Ratchet headband: 51-63 cm

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 12 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** Concept, non vented

**Classification:** ANSI Z89.1:2014

Type I	Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.
Class E	Class E helmets are intended to reduce the danger of contact with higher voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.
LT	Lower temperature (-30°C)

**Test Report:** UK models BSI 253/8666304, Intertek 102945793CRT-003

Product code	Description
--------------	-------------

## Models in Range

S08C*A	Base model, slip ratchet
S08C*L	Secure Plus, slip ratchet, EN 397 4 point chinstrap
S08C*R	Wheel ratchet
S08C*RL	Secure Plus, wheel ratchet, EN 397 4 point chinstrap
S08C*SH	Concept Miner, slip ratchet, PVC sweatband

## Notes:

\* denotes the helmet shell colour  
Fitted with Combi slot  
All variants can have brand information presented on a padprint (P) or label (L)  
Secure Plus formerly known as Linesman

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 13 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

### Models in Range (Continued):

Product code	Description
S09C*A	Base model, slip ratchet
S09C*C	Slip ratchet, with brushed nylon sweatband
S09C*L	Secure Plus, slip ratchet, EN 397 4 point chinstrap
S09C*R	Wheel ratchet
S09C*RL	Secure Plus, wheel ratchet, EN 397 chinstrap
S09C*RWNP-SH11	With drilled holes, wheel ratchet, Vabon sweatband
S09C*SH	Concept Miner, slip ratchet, PVC sweatband

### Notes:

\* denotes the helmet shell colour  
Fitted with Combi slot  
All variants can have brand information presented on a padprint (P) or label (L)  
Secure Plus formerly known as Linesman

First Issued: 2018-02-05  
Latest Issue: 2025-01-20

Effective Date: 2025-01-20  
Expiry Date: 2028-07-16

Page: 14 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** Concept, vented

**Classification:** ANSI Z89.1:2014

Type I Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.  
Class C Class C helmets are not intended to provide protection against contact with electrical hazards.  
LT Lower temperature (-30°C)

**Test Report:** UK models BSI 253/8665690

## Models in Range:

Product code	Description
S08C*F	Base model, slip ratchet
S08C*FSH	Concept Miner, slip ratchet, PVC sweatband
S08C*LF	Secure Plus, slip ratchet, EN 397 4 point chinstrap
S08C*RF	Wheel ratchet
S08C*RLF	Secure Plus, wheel ratchet, EN 397 chinstrap
S08C*RJ	Roofer wheel ratchet (complete with vent plugs)
S08C*RWJ	Roofer wheel ratchet (complete with vent plugs), Vabon sweatband

## Notes:

\* denotes the helmet shell colour  
Fitted with Combi slot  
All variants can have brand information presented on a padprint (P) or label (L)  
Secure Plus formerly known as Linesman

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 15 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

### Models in Range (Continued):

Product code	Description
S09C*F	Base model, slip ratchet
S09C*FSH	Concept Miner slip ratchet, PVC sweatband
S09C*LF	Secure Plus, slip ratchet, EN 397 4 point chinstrap
S09C*RF	Wheel ratchet
S09C*RLF	Secure Plus, wheel ratchet, EN 397 4 point chinstrap
S09C*RJ	Roofer wheel ratchet (complete with vent plugs)
S09C*RWJ	Roofer wheel ratchet (complete with vent plugs), Vabon sweatband

\* denotes the helmet shell colour

Fitted with Combi slot

All variants can have brand information presented on a padprint (P) or label (L)

Secure Plus formerly known as Linesman

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 16 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** Concept Vulcan

**Product Description:** An industrial helmet made of 30% GF nylon and model comes in non-vented variants, with LDPE headband and 6 point 20mm wide fabric cradle assembly. There are an number of variations in the build standards of the product. The range can be fitted with a number of different accessories attached to the Combi accessory slots.  
Shell: 30% GF nylon  
Cradle: Fabric webbing system  
Headband: LDPE with sweatband  
Adjustment system: Slip and Wheel Ratchet  
Chinstrap anchorages: 2 point and 4 point leather fixings

**Size range:** Slip ratchet headband: 51-63cm  
Wheel ratchet headband: 52-64cm

**Classification:** ANSI Z89.1:2014  
Type I Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.  
Class G Class G helmets are intended to reduce the danger of contact with low voltage conductors. Test samples are proof-tested at 2,200 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.

**Test Report:** 1.24.10.29 ANSI ISEA Z89.1-2014

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 17 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

### Spares and Accessories:

Product code	Description
S30C	2 point Cotton chinstrap
S30E	2 point Elasticated chinstrap
S30LY	4 point quick release EN 397 Secure Plus Black Chinstrap (branded)
S30LBCC	Helmet Lamp Bracket and Cable Clip
S30VP	Concept vent plugs
S30Y	4 point quick release EN 397 Secure Plus Black Chinstrap (unbranded)
S31D	Dry-Tech sweatband
S31N	Brushed nylon sweatband
S31P	PVC sweatband
S31W	Vabon sweatband
S33/34	Fabric Cradle with Dry-Tech sweatband
S33/35	Fabric Cradle with wheel ratchet and Dry-Tech Sweatband
S565	Euro accessory clips
S570	Connect accessory clips
S589	Retractable eyeshield Clear, Z87 U6
S589SE	Retractable eyeshield Smoke Grey, Z87 U6 L1.3
S55	Contour Visor Carrier
S800	Contour X, clear polycarbonate face screen, Z87+ D3
S810	Contour XI, anti-fog, clear polycarbonate face screen, Z87+ D3
S50UFL	Universal Fleece Helmet Liner
S50HVOFC	Frost Cape HV Orange
S50HVFYFC	Frost Cape HV Yellow
S50HVOEDFC	Frost Cape HV Orange with Ear Defender Compatibility
S50HVFYEDFC	Frost Cape HV Yellow with Ear Defender Compatibility
S50FW	Face Warmer
S30LYHH	4 point leather chinstrap
S30L	2 point leather chinstrap
S601	Replacement Over Spectacles Clear
S602	Replacement Over Spectacles Smoke

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 18 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range:** 1125 Classic

**Product Description:** Safety Helmet with standard peak variants. For versions complying with ANSI Z89.1:2014, there are a number of variations in the build standard of the product, see details below. The range can be fitted with a number of different accessories that are attached via either the Connect or the Euro accessory clips

Shell: HDPE, non vented

Suspension:

Cradle: Fabric webbing system

Headband: LDPE with fitted sweatband

Sweatband: Brushed Nylon, PVC or Vabon

Adjustment system: Wheel ratchet or slip ratchet

Chinstrap: EN 397 2 point chinstrap or 4 point chinstrap

**Size range:** Wheel Ratchet headband: 52-64 cm  
Slip Ratchet headband: 51-63 cm

**Classification:** ANSI Z89.1:2014

Type I Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.

Class C Class C helmets are not intended to provide protection against contact with electrical hazards.

Class E Class E helmets are intended to reduce the danger of contact with higher voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.

LT Lower temperature (-30°C)

**Test Report:** BSI 253/8632931, Intertek 102853782CRT-001

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 19 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

Models in Range:	Product code	Description
	S03C*A	Base model, slip ratchet
	S03C*L	Secure Plus, slip ratchet, EN 397 4 point chinstrap
	S03C*R	Wheel ratchet

**Notes:**

- \*denotes the helmet shell colour
- Fitted with Combi slots
- All variants can have brand information presented on a padprint (P) or label (L)
- Secure Plus formerly known as Linesman

First Issued: 2018-02-05  
Latest Issue: 2025-01-20

Effective Date: 2025-01-20  
Expiry Date: 2028-07-16

Page: 20 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

Spares and Accessories:	Product code	Description
	S30C	2 point Cotton Chinstrap
	S30E	2 point Elasticated Chinstrap
	S30L	2 point Leather Chinstrap
	S30Y	4 Point quick release EN 397 Secure Plus Black Chinstrap (Unbranded)
	S30QRC	2 point Quick Release Chinstrap
	S31N	Brushed Nylon Sweatband
	S31P	PVC sweatband
	S33/3	Fabric Cradle with Brushed Nylon Sweatband
	S565	Euro Accessory Clips
	S570	Connect Accessory Clips
	S50HVOFC	Frost Cape HV Orange
	S50HVVFC	Frost Cape HV Yellow
	S50HVOEDFC	Frost Cape HV Orange with Ear Defender Compatibility
	S50HVYEDFC	Frost Cape HV Yellow with Ear Defender Compatibility
	S50FW	Face Warmer
	S51HVY/HVO	Sun Capes

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 21 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range:** **Vison Plus Industrial Safety Helmet**

**Product Description:** An industrial safety helmet with an injection moulded ABS shell with LDPE headband and 6-point 20mm wide fabric cradle assembly incorporating moulded Polycarbonate visor style eye protection. The visor is designed to be retracted from the wearer's line of sight into a cavity between the shell of the helmet and the cradle. It can fit over prescription spectacles if required and is replaceable by the end user. There are a number of variations in the build standard of the product. The range can be fitted with a number of different accessories attached to the Euro accessory slot.

Shell:	ABS, non-vented.
Cradle:	Fabric webbing system
Headband:	LDPE with sweatband
Sweatband:	Dry-Tech (polyester)
Adjustment system:	Wheel ratchet or slip ratchet
Chinstrap anchorages:	2 Point or 4 Point fixing

**Size range:** Wheel Ratchet headband: 52-64 cm  
Slip Ratchet headband: 51-63 cm

**Classification:** ANSI Z89.1:2014

Type I	Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.
Class C	Class C helmets are not intended to provide protection against contact with electrical hazards.
Class E	Class E helmets are intended to reduce the danger of contact with higher voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.
LT	Lower temperature (-30°C)

**Test Report:** BSI 8900993a1, Intertek 103749767CRT-001

First Issued: 2018-02-05  
Latest Issue: 2025-01-20

Effective Date: 2025-01-20  
Expiry Date: 2028-07-16

Page: 22 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Classification:** ANSI Z87.1:2015  
Z87+ Personal eye and face protection devices without prescription lenses and with impact protection  
U6 UV filter scale 6

**Test Report:** COLTS Z-BKH031918-01-02, Z-BKH061021-01



First Issued: 2018-02-05  
Latest Issue: 2025-01-20

Effective Date: 2025-01-20  
Expiry Date: 2028-07-16

Page: 23 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** S06 E-Protect Nexus

**Product Description:** An industrial safety helmet made from wood fibre reinforced polymer with LDPE headband and 6-point 20mm wide cradle assembly. The E-Protect Nexus has vented and non-vented versions and comes in nine coloured shells.

Shell: Wood fibre reinforced polymer, vented and non-vented.  
Cradle: Fabric webbing system  
Headband: LDPE with sweatband fitted.  
Adjustment system: Wheel Ratchet  
Chin strap anchorages: 2 Point chinstrap fitted.

**Size Range:** Wheel Ratchet Headband: 52 – 64 cm

**Classification:** ANSI Z89.1:2014  
Type I Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.  
Class C (vented) Class C helmets are not intended to provide protection against contact with electrical hazards.  
Class G (non-vented) Class G helmets are intended to reduce the danger of contact with low voltage conductors. Test samples are proof-tested at 2,200 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.

**Test Report:** 1.24.05.53 ANSI ISEA Z89.1 2014

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 24 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range:** S589/S589C retractable eyeshields

**Product Description:** S589 retractable clear eyeshield for fitting to Nexus and Concept industrial helmets with UV protection and S589 retractable smoked eyeshield for fitting to Nexus and Concept industrial helmets with UV protection and sunglare filter

**Classification:** ANSI Z87.1:2015  
Z87 Personal eye and face protection devices without prescription lenses and without impact protection  
U6 UV filter scale 6  
L1.3 Nominal light transmittance of 74.5%

**Test Report:** ICS T10810-01-1

Models in Range:	Product code	Description
	S589	Retractable eyeshield Clear, Z87 U6
	S589SE	Retractable eyeshield Smoke Grey, Z87 U6 L1.3

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 25 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range:** S810/S810 Contour face screens

**Product Description:** Contour clear polycarbonate moulded face screens for fitting to Nexus and Concept industrial helmets using a carrier and helmet accessory clips.

**Classification:** ANSI Z87.1:2015  
Z87+ Personal eye and face protection devices without prescription lenses and with impact protection  
D3 Droplet and splash protection

**Test Report:** COLTS Z-BKH050917-01

**Models in Range:**

Product code	Description
S800	Contour X, polycarbonate, moulded, clear face screen using carrier S55, Z87+ D3
S810	Contour XI, polycarbonate, moulded, anti-fog, clear face screen using carrier S55, Z87+ D3

**Spares and Accessories:**

Product code	Description
S55	Contour carrier for use with Concept and Nexus

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 26 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range:** S590 face screen

**Product Description:** Clear polycarbonate face screens for fitting to Concept industrial helmets using a carrier and helmet accessory clips - 225 mm.

**Classification:** ANSI Z87.1:2015  
Z87+ Personal eye and face protection devices without prescription lenses and with impact protection

**Test Report:** COLTS Z-BKH062718-01, Z-BKH061021-02

Spares and Accessories:	Product code	Description
	S54CE	Contour carrier for use with Concept and Nexus

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 27 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Range** Nexus S601 and S602 visors

**Product Description:** Clear and Smoke polycarbonate visors. For fitting to Nexus Industrial Helmets

**Classification:** ANSI Z87.1-2020

**Filter scale:**  
Clear U6  
Smoke U6 L3

**Test Report:** T19273-01-1

**Classification:** AS/NZS 1337.1.2010+A1:2012+A2:2018

**Category:**  
Clear 0 or O  
Smoke 3

**Test Report:** T19273-01-2

**Classification:** CSA Z94.3:20

**Test Report:** T19273-01-3

<b>Models in Range:</b>	Product code	Description/Classification
	S601	Replacement Over Spectacles Clear 2C-1.2 1 AT KN
	S602	Replacement Over Spectacles Smoke 5-3.1 1 AT KN

First Issued: 2018-02-05

Latest Issue: 2025-01-20

Effective Date: 2025-01-20

Expiry Date: 2028-07-16

Page: 28 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Certificate of Conformity

No. CNF 684765

## Product Specification (continued)

**Model:** S20 Spectrum

**Product Description:** An industrial safety helmet with an injection moulded ABS shell with LDPE headband and 6-point 20mm wide cradle assembly, available with or without an integral moulded Polycarbonate Over Spectacle eye protector. The eye protector is designed to be retracted from the wearer's line of sight into a cavity between the shell of the helmet and the cradle. It can fit over prescription spectacles if required and is replaceable by the end user. There are a number of variations in the build standard of the product. The range can be fitted with a number of different accessories attached to the Combi accessory slot.

Shell: ABS, vented and non-vented variants.

Cradle: 6 point fabric webbing.

Headband: LDPE with sweatband fitted.

Adjustment system: Wheel Ratchet

Chin strap anchorages: 2 Point or 4 Point chinstrap fitted.

**Size Range:** Wheel Ratchet Headband: 52 – 64 cm

**Classification:** ANSI Z89.1:2014  
Type I Type I helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.  
Class C Class C helmets are not intended to provide protection against contact with electrical hazards.  
(vented)  
Class E Class E helmets are intended to reduce the danger of contact with higher voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.  
(non-vented)

**Test Report:** 1.24.06.03 ANSI ISEA Z89.1 2014

**Classification:** CSA Z94.1-2015  
Type I Headwear that provides impact and penetration protection for the crown only.  
Class E Class E helmets are intended to reduce the danger of contact with higher voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). This voltage is not intended as an indication of the voltage at which the helmet protects the wearer.

**Test Report:** Z-CTR04081401-01 and Z-CTR04081401-02

First Issued: 2018-02-05

Effective Date: 2025-01-20

Latest Issue: 2025-01-20

Expiry Date: 2028-07-16

Page: 29 of 29

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).